AB 079

# TEST REPORT NO 1025938/25/GDY

| | |
|---|---|
| Client<br>Revive Naturals Ltd<br>13 Freeland Park, Wareham Road BH16 6FH Poole<br>ordered by:<br>J.S.HAMILTON BALTIC, SIA<br>Mazā Rencēnu iela 12<br>LV-1073 Rīga | Sample (according to declaration of Client)<br>Sample description: Alpha01 - Organic Vitamin B Complex Capsules<br>LOT: LC242480<br>BF: 07/2028<br><br>Sample number: 1025870/25/RIG |

| | | |
|---|---|---|
| Sample reception date: | 20.12.2025 | Sample status: no objections |
| Start of analysis | 23.12.2025 | |
| End of analysis | 29.12.2025 | Sample received from the Client |
| Test report date | 29.12.2025 | |

| Test Method | Unit | Result |
|---|---|---|
| * Content of elements<br>PN-EN 15763:2010 | | |
| Lead (Pb) | mg/kg | < 0,010 |
| Cadmium (Cd) | mg/kg | < 0,0010 |
| Mercury (Hg) | mg/kg | 0,0020 |

Test report authorized by:
ID: 295, Analysis Expert, Spectrometry Laboratory

The test report bears the certified electronic seal of J.S. Hamilton Poland Sp. z o.o.

Laboratory address:
Chwaszczyńska 180, 81-571 Gdynia

The results refer only to the samples received and tested. When a measurement uncertainty is given, it is an expanded uncertainty estimated for a coverage factor k=2 at 95% confidence level and is not including sampling uncertainty, unless otherwise stated. When the conformity is stated J.S. Hamilton Poland Sp. z o.o. applies the simple acceptance decision rule in accordance with ILAC-G8:09/2019, unless otherwise reported. If the "result" column contains a record: "<" or ">", it means, that it is the test outcome directly related to the lower or upper limit of the measuring range of the method. If an expanded measurement uncertainty is given for such a test outcome, it relates only to the lower or upper limit of the measuring range of the method, respectively. In the case where the Laboratory base on the obtained test outcome, "statement of conformity" column presents an opinion and interpretation. This test report may not be copied in part without the prior written permission of J.S. Hamilton Poland Sp. z o.o. The responsibility of J.S. Hamilton Poland Sp. z o.o. is limited solely to the data issued in its original. J.S. Hamilton Poland Sp. z o.o. does not permit the use of the PCA accreditation symbol AB 079 by customers, subcontractors, external service providers and other third parties. For further information please refer to the PCA document - DA-02. The service confirmed by this report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on www.hamilton.com.pl.

* Test method accredited
# Test performed by external provider

THE END OF THE REPORT



J.S. HAMILTON POLAND Sp. z o.o.
TESTING LABORATORY
Chwaszczyńska 180, 81-571 Gdynia, Poland tel. +48 58 766 99 00