



TEST REPORT NO 211303/26/RIG

<b>Client</b> <b>Revive Naturals Ltd</b> 13 Freeland Park, Wareham Road BH16 6FH Poole		<i>Sample (according to declaration of Client)</i> Sample description: Alpha01 - Calcium Magnesium Zinc Tablets 450mg Batch: LC240367/092028
Sample reception date	<b>09.03.2026</b>	Sample status: no objections  Sample delivered from the Client
Start of analysis	<b>10.03.2026</b>	
End of analysis	<b>17.03.2026</b>	
Test report date	<b>17.03.2026</b>	

Test Method	Unit	Result
* Detection of Salmonella spp. in 25g LVS EN ISO 6579-1:2017	in 25 g	Not detected
* Enumeration of $\beta$ -glucuronidase-positive Escherichia coli LVS ISO 16649-2:2007	cfu/g	<1,0x10 <sup>1</sup>
* # Content of elements PN-EN 15763:2010		
Lead (Pb)	mg/kg	0,23
Cadmium (Cd)	mg/kg	0,091
Mercury (Hg)	mg/kg	0,0047

Test: Content of elements was performed in laboratory with an accreditation number AB 079

Test report authorized by:

ID: 606, Laboratory Manager

This report is approved by the qualified electronic seal of J.S. Hamilton Baltic SIA

Laboratory address:

Maza Rencenu 12, LV-1073 Riga

Abbreviations: \* - the method is accredited; \*# - the method is accredited, tested by a subcontractor; # - the method is not accredited, tested by a subcontractor; testing service methods not marked with the symbol (\*) are not accredited.

The results relate to the analyzed samples only. This report can not be reproduced partially without a prior written consent of SIA "J.S. Hamilton Baltic". The testing laboratory is not responsible for the information provided by the customer. When a measurement uncertainty is given, it is an expanded uncertainty estimated for a coverage factor k=2 at 95% confidence level and is not including sampling uncertainty, unless otherwise stated. When the conformity is stated laboratory applies the simple acceptance decision rule in accordance with ILAC-G8:09/2019, unless otherwise reported. Responsibility of J.S. Hamilton Baltic SIA laboratory is restricted exclusively to the results and statements presented in original copy of the report. The test report is valid in an electronic environment with a qualified electronic seal. The report in paper format is valid only if SIA J.S. Hamilton Baltic laboratory certified this copy. Use of the accreditation mark in accordance with the document LATAK - D.011. The service confirmed by this report is subject to the General Terms and Conditions of Services of J.S. Hamilton Baltic SIA published on [www.hamiltonlab.lv](http://www.hamiltonlab.lv).