HAMILTON BALTIC

TEST REPORT NO 612022/26/RIG

Client **Revive Naturals Ltd** 13 Freeland Park, Wareham Road BH16 6FH Poole		*Sample (according to declaration of Client)* Sample description: Alpha01 - Hyaluronic Acid 600mg - 90 Count Barcode/FNSKU: X00206Y55V Batch: LC240170/122028; LC261020/052029
Sample reception date	**03.07.2026**	Sample status: no objections
Start of analysis	**06.07.2026**	
End of analysis	**14.07.2026**	Sample delivered from the Client
Test report date	**14.07.2026**	

Test Method	**Unit**	**Result**
# Hialuronic acid [1)] In House method; extraction, determination by HPLC		
Hialuronic acid	mg/capsule	585,5 ± 117,1
Hyaluronic acid expressed as sodium hyaluronate	mg/capsule	627,6 ± 125,5

1) Capsule weight as determined by the External Provider: 0,63 g.

Test: Hialuronic acid was performed in laboratory UBF - Untersuchungs- und Forschungslaboratorium GmbH Altlandsberg Germany

Abbreviations: * - the method is accredited; *# - the method is accredited, tested by a subcontractor; # - the method is not accredited, tested by a subcontractor; testing service methods not marked with the symbol (*) are not accredited.

The results relate to the analyzed samples only. This report can not be reproduced partially without a prior written consent of SIA "J.S. Hamilton Baltic". The testing laboratory is not responsible for the information provided by the customer. When a measurement uncertainty is given, it is an expanded uncertainty estimated for a coverage factor k=2 at 95% confidence level and is not including sampling uncertainty, unless otherwise stated. When the conformity is stated laboratory applies the simple acceptance decision rule in accordance with ILAC-G8:09/2019, unless otherwise reported. Responsibility of J.S. Hamilton Baltic SIA laboratory is restricted exclusively to the results and statements presented in original copy of the report. The test report is valid in an electronic environment with a qualified electronic seal. The report in paper format is valid only if SIA J.S. Hamilton Baltic laboratory certified this copy. Use of the accreditation mark in accordance with the document LATAK - D.011. The service confirmed by this report is subject to the General Terms and Conditions of Services of J.S. Hamilton Baltic SIA published on www.hamiltonlab.lv.

SIA "J.S. HAMILTON Baltic" laboratory
Mazā Rencēnu iela 12, Rīga, LV-1073, Latvija

TEST REPORT NO 612022/26/RIG

Sample:



Test report authorized by:
ID: 606, Laboratory Manager
This report is approved by the qualified electronic seal of J.S. Hamilton Baltic SIA

Abbreviations: * - the method is accredited; *# - the method is accredited, tested by a subcontractor; # - the method is not accredited, tested by a subcontractor;
testing service methods not marked with the symbol (*) are not accredited.

The results relate to the analyzed samples only. This report can not be reproduced partially without a prior written consent of SIA “J.S. Hamilton Baltic”. The testing laboratory is not responsible for the information provided by the customer. When a measurement uncertainty is given, it is an expanded uncertainty estimated for a coverage factor k=2 at 95% confidence level and is not including sampling uncertainty, unless otherwise stated. When the conformity is stated laboratory applies the simple acceptance decision rule in accordance with ILAC-G8:09/2019, unless otherwise reported. Responsibility of J.S. Hamilton Baltic SIA laboratory is restricted exclusively to the results and statements presented in original copy of the report. The test report is valid in an electronic environment with a qualified electronic seal. The report in paper format is valid only if SIA J.S. Hamilton Baltic laboratory certified this copy. Use of the accreditation mark in accordance with the document LATAK - D.011. The service confirmed by this report is subject to the General Terms and Conditions of Services of J.S. Hamilton Baltic SIA published on www.hamiltonlab.lv.

SIA "J.S. HAMILTON Baltic" laboratory
Mazā Rencēnu iela 12, Rīga, LV-1073, Latvija